

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	11GA	10si 11GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1590-2098 Expozitie: S Inclinatie: 2-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca rubra, Rumex alpinum						
Graminee: Nadrus stricta, Festuca nigrescens, Festuca amethystina Festuca rubra, Agrostis capillaris, Agrostis tenuis, Festuca pratensis						
Leguminoase: Rumex alpinum, Lotus corniculatus, Trifolium repens, Medicago lupulina						
Diverse plante: Arnica montana, Centaurea sp., Luzula campestris, Alchemilla vulgaris, Carex curvula						
Plante daunatoare si toxice: Colchicum autumnale, Ranunculus acer, Stellaria graminea, Thalictrum aquilegifolium						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: brad, ienupar, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	12GA	12GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
<p>Altitudine: 1615-2050 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Festuca airoides, Nardus stricta</p>						
<p>Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis</p>						
<p>Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Potentilla ternata</p>						
<p>Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula</p>						
<p>Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale–actual – conform tabel pct 6.4 litera a</p>						
<p>perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: molid, brad,ienupar pitic, jneapan, bujor de munte, afin</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p>						
<p>Curatare vegetatie arbutiva</p>						
<p>ridicare topografica</p>						
<p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p>						
<p>Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	13GA	13GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
<p>Altitudine: 1615-2050 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Festuca airoides</p>						
<p>Graminee: Festuca airoides , Deschampsia flexuosa,Brachipodium pinnatum, Festuca pseudovina Nardus stricta</p>						
<p>Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata</p>						
<p>Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula</p>						
<p>Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p>						
<p>perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: molid, brad,ienupar, bujor de munte, afin</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p>						
<p>Curatare vegetatie arbutiva</p>						
<p>ridicare topografica</p>						
<p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p>						
<p>Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	14GA+15 GA	14GA+15 GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
<p>Altitudine: 1615-2050 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: <i>Nardus stricta</i>, <i>Arostis capillaris</i>-<i>Festuca rubra</i></p>						
<p>Graminee: <i>Festuca rubra</i>, <i>Festuca pratensis</i>, <i>Agrostis capillaris</i>, <i>Festuca airoides</i>, <i>Agrostis stolonifera</i>, <i>Alopecurus pratensis</i>, <i>Cynodon dactylon</i>, <i>Deschampsia caespitosa</i></p>						
<p>Leguminoase <i>Trifolium repens</i>, <i>Trifolium campestre</i>, <i>Medicago lupulina</i>, <i>Lathyrus pratensis</i>, <i>Coronilla varia</i>, <i>Melilotus officinalis</i></p>						
<p>Diverse plante: <i>Achillea millefolium</i>, <i>Carum carvi</i>, <i>Plantago lanceolata</i>, <i>Rumex acetosa</i>, <i>Taraxacum officinale</i>, <i>Thymus montanus</i></p>						
<p>Plante daunatoare si toxice: <i>Euphorbia cyparissias</i>, <i>Juncus sp.</i>, <i>Ranunculus repens</i>, <i>Chelidonium majus</i>, <i>Conium maculatum</i>, <i>Equisetum palustre</i></p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual - conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva - conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p> <p>Curatare vegetatie arbustiva ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	16 GA	16 GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
<p>Altitudine: 1615-2050 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Festuca airoides</p>						
<p>Graminee: Festuca airoides , Deschampsia flexuosa, Brachipodium pinnatum, Festuca pseudovina Nardus stricta</p>						
<p>Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata</p>						
<p>Diverse plante: Arnica montana, Centaurea sp., Luzula campestris, Alchemilla vulgaris, Carex curvula</p>						
<p>Plante daunatoare si toxice: Colchicum autumnale, Ranunculus acer</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: molid, brad, ienupar, bujor de munte, afin</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p> <p>Curatare vegetatie arbutiva ridicare topografica Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	17GA, 18GA, 19GA	17GA, 18GA, 19GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1670-2030 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca amethystina-Festuca versicolor						
Graminee: Festuca amethystina, Festuca versicolor, Festuca rubra, Agrostis capillaris, Agrostis tenuis, Festuca pratensis, Nardus stricta						
Leguminoase: Lotus corniculatus, Trifolium repens, Medicago lupulina Melilotus officinalis, Onobrychis viciifolia						
Diverse plante: Rhinanthus minor, Origanum vulgare, Achillea millefolium, Thymus montanus, Arnica montana, Salvia pratensis, Cichorium intybus, Campanula ssp., Genista sagitalis, Ranunculus repens, Centaurea sp., Plantago major, Taraxacum officinale						
Plante daunatoare si toxice: Euphorbia cyparissias, Juncus sp. Ranunculus repens, Chelidonium majus, Conium maculatum, Equisetum palustre						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad, ienupar, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbustiva ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	20GA, 21GA	20GA, 21GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1670-2030 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Nardus stricta						
Graminee: Nardus stricta ,Festuca nigrescens, Festuca amethystina Festuca rubra, Agrostis capillaris, Agrostis tenuis, Festuca pratensis						
Leguminoase: Potentilla erecta, Potentilla ternata						
Diverse plante: Viola declinata, arnica montana, campanula serrata						
Plante daunatoare si toxice: Euphorbia cyparissias, Juncus sp. Ranunculus repens, Chelidonium majus, Conium maculatum, Equisetum palustre						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	22GA	22GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1670-2030 Expozitie: S-E Inclinatie: 10-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides, Nardus stricta						
Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Potentilla ternata						
Diverse plante: Arnica montana, Centaurea sp., Luzula campestris, Alchemilla vulgaris, Carex curvula						
Plante daunatoare si toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad, ienupar pitic, jneapan, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	23GA, 24 GA	23GA, 24GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme( bot)
<p>Altitudine: 1500-2020 Expozitie: Toate directiile Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Festuca airoides</p>						
<p>Graminee: Festuca airoides , Deschampsia flexuosa,Brachipodium pinnatum, Festuca pseudovina Nardus stricta</p>						
<p>Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata</p>						
<p>Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula</p>						
<p>Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: molid, brad,ienupar, bujor de munte, afin</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p> <p>Curatare vegetatie arbutiva</p> <p>ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p> <p style="padding-left: 40px;">Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	25GA	25GA	Conform tabel 1.1	Pasune alpina	Munte	Versant
Altitudine: 1845-2020 Expozitie: S Inclinatie: 8-10% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: <i>Nardus stricta</i>						
Graminee: <i>Nardus stricta</i> , <i>Festuca nigrescens</i> , <i>Festuca amethystina</i> , <i>Festuca rubra</i> , <i>Agrostis capillaris</i> , <i>Agrostis tenuis</i> , <i>Festuca pratensis</i>						
Leguminoase: <i>Potentilla erecta</i> , <i>Potentilla ternata</i>						
Diverse plante: <i>Viola declinata</i> , <i>arnica montana</i> , <i>campanula serrata</i>						
Plante daunatoare si toxice: <i>Euphorbia cyparissias</i> , <i>Juncus sp.</i> , <i>Ranunculus repens</i> , <i>Chelidonium majus</i> , <i>Conium maculatum</i> , <i>Equisetum palustre</i>						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale—actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	26GA, 27GA	26GA, 27GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1750-2120 Expozitie: S Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides, Nardus stricta						
Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis						
Leguminoase: Alchemilla vulgaris, Cichorium inthibus, Geranium pratense, Potentilla erecta, Potentilla ternata						
Diverse plante: Arnica montana, Centaurea sp., Luzula campestris, Alchemilla vulgaris, Carex curvula						
Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad, ienupar pitic, jneapan, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	28GA	28GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1750-2120 Expozitie: S Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides						
Graminee: Festuca airoides , Deschampsia flexuosa,Brachipodium pinnatum, Festuca pseudovina Nardus stricta						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata						
Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula						
Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad,ienupar, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	29GA	29GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1990-2005 Expozitie: S Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides, Nardus stricta						
Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Potentilla ternata						
Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula						
Plante daunatoare si toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale–actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad,ienupar pitic, jneapan, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	30GA	30GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1990-2005 Expozitie: S Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: <i>Nardus stricta</i>						
Graminee: <i>Nardus stricta</i> , <i>Festuca nigrescens</i> , <i>Festuca amethystina</i> , <i>Festuca rubra</i> , <i>Agrostis capillaris</i> , <i>Agrostis tenuis</i> , <i>Festuca pratensis</i>						
Leguminoase: <i>Potentilla erecta</i> , <i>Potentilla ternata</i>						
Diverse plante: <i>Viola declinata</i> , <i>arnica montana</i> , <i>campanula serrata</i>						
Plante daunatoare si toxice: <i>Euphorbia cyparissias</i> , <i>Juncus sp.</i> , <i>Ranunculus repens</i> , <i>Chelidonium majus</i> , <i>Conium maculatum</i> , <i>Equisetum palustre</i>						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	31GA, 32GA	31GA, 32GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme Mamelon
Altitudine: 1705-1870 Expozitie: S Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca rubra, Rumex alpinum						
Graminee: Nadrus stricta ,Festuca nigrescens, Festuca amethystina Festuca rubra, Agrostis capillaris, Agrostis tenuis, Festuca pratensis						
Leguminoase: R u m e x a l p i n u m , Lotus corniculatus, Trifolium repens, Medicago lupulina						
Diverse plante: Arnica montana, Centaurea sp., Luzula campestris, Alchemilla vulgaris, Carex curvula						
Plante daunatoare si toxice: Colchicum autumnale, Ranunculus acer, Stellaria graminea, Thalictrum aquilegifolium						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: brad, ienupar, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	33 GA, 34GA, 35GA	33 GA, 34GA, 35GA	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
Altitudine: 1850-1920 Expozitie: S Inclinatie: 14-18% Sol: conform ortofotoplanuri anexate ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides, Nardus stricta						
Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Potentilla ternata						
Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula						
Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad,ienupar pitic, jneapan, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	1Os,2OS, 3OS, 4Os, 5Os si 6Os	1Os,2OS, 3OS, 4Os, 5Os si 6Os	Conform tabel 1.1	Pasune	Deal	Campie piemontata terasata Lunca
Altitudine: 432-443 Expozitie: Toate directiile Inclinatie: 0-2% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	7Os, 8Os, (9+10)Os, (11+12+13+14+15+16+18)Os si 17Os	7Os, 8Os, (9+10)Os, (11+12+13+14+15+16+18)Os si 17Os	Conform tabel 1.1	Pasune	Deal	Campie piemontata terasata Lunca
Altitudine: 420-425 Expozitie: Toate directiile Inclinatie: 0-2% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cirsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	19Os, 20Os, 21Os, 22Os, 23Os, (24+25+26+27+28+29+48+49+50) OS si 30Os	19Os, 20Os, 21Os, 22Os, 23Os, (24+25+26+27+28+29+48+49+50) OS si 30Os	Conform tabel 1.1	Pasune	Deal	Campie piemontata terasata Lunca
<p>Altitudine: 415-430 Expozitie: Toate directiile Inclinatie: 0-2% Sol: conform ortofotoplanuri anexate</p> <p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p> <p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p> <p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p> <p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p> <p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p> <p><b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p> <p>Grad de acoperire cu vegetatie a parcelei: 98%</p> <p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b</p> <p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p> <p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(31+36+37+38+39+40)OS	(31+36+37+38+39+40)OS	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 425-450 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p> <p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p> <p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p> <p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p> <p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p> <p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p> <p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cirsium sp.</p> <p>Grad de acoperire cu vegetatie a parcelei: 98%</p> <p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b</p> <p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p> <p><b>Lucrari propuse:</b>  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicarea topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(32+33+34+35)O S	(32+33+34+35)O S	Conform tabel 1.1	Pasune	Deal	Lunca
Altitudine: 380-410 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(41+42)Os, 43Os, 44Os, 45Os, 46Os si 47Os	(41+42)Os, 43Os, 44Os, 45Os, 46Os si 47Os	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 450-462 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cirsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(1+2+3+4+7)Cl, 5Cl, 6Cl, 8Cl si 28RDM	(1+2+3+4+7)Cl, 5Cl, 6Cl, 8Cl si 28RDM	Conform tabel 1.1	Pasune	Deal	Versant
<p>Altitudine: 500-680 Expozitie: N,V, E Inclinatie: 4-14% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p><b>Lucrari propuse:</b>  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(9+10+11+12+13+14+15+16+17+18+19+20+21+22+23+24+25+26+27+30)Cl, (28+29)Cl, 31Cl, 32Cl	(9+10+11+12+13+14+15+16+17+18+19+20+21+22+23+24+25+26+27+30)Cl, (28+29)Cl, 31Cl, 32Cl	Conform tabel 1.1	Pasune	Deal	Versant Con dejectie Culme
Altitudine: 550-780 Expozitie: Toate directiile Inclinatie: 6-14% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(33+34+35+36)Cl , (37+38)Cl si (39+40)Cl	(33+34+35+36)Cl , (37+38)Cl si (39+40)Cl	Conform tabel 1.1	Pasune	Deal	Campie piemontata terasata
<p>Altitudine: 455-550 Expozitie: Toate directiile Inclinatie: 1-2% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p>Tip de pajiste: <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p>Graminee: <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p>Leguminoase: <i>Trifolium</i> sp., <i>Lotus corniculatus</i>, <i>Onobrichis viciifolia</i></p>						
<p>Diverse plante: <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantagos</i> sp., <i>Taraxacum officinalis</i></p>						
<p>Plante daunatoare si toxice: <i>Euphorbia cyparissias</i>, <i>Cirsium</i> sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(41+42)Cl, 43Cl, 44Cl, (45+46)Cl si 47Cl	(41+42)Cl, 43Cl, 44Cl, (45+46)Cl si 47Cl	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 465-493 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p><b>Lucrari propuse:</b>  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	1RM, (2+3)RM, (4+5)RM, (6+7)RM, (8+9+10+11)RM, 12RM, (13+14)RM si 15RM	1RM, (2+3)RM, (4+5)RM, (6+7)RM, (8+9+10+11)RM, 12RM, (13+14)RM si 15RM	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 520-1320 Expozitie: N-V Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Grup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	16RM, 17RM, 18RM, 19RM si 20RM	16RM, 17RM, 18RM, 19RM si 20RM	Conform tabel 1.1	Pasune	Deal	Con dejectie
<p>Altitudine: 530-560 Expozitie: Toate directiile Inclinatie: 2-5% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p><b>Graminee:</b> <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p><b>Leguminoase:</b> <i>Trifolium sp.</i>, <i>Lotus corniculatus</i>, <i>Onobrichis viciifolia</i></p>						
<p><b>Diverse plante:</b> <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantago sp.</i>, <i>Taraxacum officinalis</i></p>						
<p><b>Plante daunatoare si toxice:</b> <i>Euphorbia cyparissias</i>, <i>Cirsium sp.</i></p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	21RM, (22+23)RM, 24RM	21RM, (22+23)RM, 24RM	Conform tabel 1.1	Pasune	Deal	Con dejectie
<b>Altitudine:</b> 555-585 <b>Expozitie:</b> Toate directiile <b>Inclinatie:</b> 2-5% <b>Sol:</b> conform ortofotoplanuri anexate						
<b>Date stationale suplimentare:</b> Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
<b>Grad de acoperire cu vegetatie a parcelei:</b> 98%						
<b>Incarcarea cu animale:</b> actual – conform tabel pct 6.4 litera a <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<b>Vegetatia arbustiva:</b> paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire <b>Productia actuala de masa verde</b> - conform tabel pct 6.4 litera a <b>Productia de masa verde in perspectiva</b> - conform tabel pct 6.4 litera b						

U.A.T. <sup>a</sup>	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	25RM	25RM	Conform tabel 1.1	Pasune	Deal	Con dejectie
Altitudine: 555-585 Expozitie: Toate directiile Inclinatie: 2-5% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b>  curatarea arbustiva ridicarea topografica si inscrierea in cartea funciara  Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(26+27+28)RM, 29RM, (30+31)RM, 32RM, 33RM si 34RM	(26+27+28)RM, 29RM, (30+31)RM, 32RM, 33RM si 34RM	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 580-640 Expozitie: V Inclinatie: 8-10% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	35RM, 36RM, 37RM, 38RM, 39RM si 40RM	35RM, 36RM, 37RM, 38RM, 39RM si 40RM	Conform tabel 1.1	Pasune alpina	Munte	Versant
Altitudine: 1080-1340 Expozitie: S Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	41RM, 42RM, 43RM, (44+45)RM si 46RM	41RM, 42RM, 43RM, (44+45)RM si 46RM	Conform tabel 1.1	Pasune alpina	Munte	Culme ( bot)
Altitudine: 1011-1355 Expozitie: S Inclinatie: 12-14% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> <i>Agrostis capillaris</i> - <i>Festuca rubra</i>						
<b>Graminee:</b> <i>Agrostis capillaris</i> , <i>Festuca rubra</i> , <i>Lolium perene</i> , <i>Poa pratensis</i> , <i>Nardus stricta</i>						
<b>Leguminoase:</b> <i>Trifolium sp.</i> , <i>Lotus corniculatus</i> , <i>Onobrichis viciifolia</i>						
<b>Diverse plante:</b> <i>Achillea millefolia</i> , <i>Rumex acetosa</i> , <i>Plantagos sp.</i> , <i>Taraxacum officinalis</i>						
<b>Plante daunatoare s i toxice:</b> <i>Euphorbia cyparissias</i> , <i>Cyrsium sp.</i>						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	47RM, 48RM, 49RM si 50RM	47RM, 48RM, 49RM si 50RM	Conform tabel 1.1	Pasune alpina	Munte	Versant culme
Altitudine: 1090-1310 Expozitie: E Inclinatie: 10-12% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	51RM, 52RM, 53RM, 54RM, 55RM si 56RM	51RM, 52RM, 53RM, 54RM, 55RM si 56RM	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme Mamelon
<p>Altitudine: 1080-1330    Expozitie: Toate directiile    Inclinatie: 14-19%    Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <p>reducerea eroziunii solului si prevenirea alunecarilor de teren</p> <p>curatarea arbustiva</p> <p>combatere plante daunatoare</p> <p>ridicare topografica si inscrierea in cartea funciara</p> <p>fertilizare cu ingrasaminte organice, in special prin prin tarlire</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p> <p style="text-align: center;">Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	57RM, 58RM, 59RM, 60RM	57RM, 58RM, 59RM, 60RM	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme(bot) Con dejectie
<p>Altitudine: 650-1540 Expozitie: Toate directiile Inclinatie: 2-14% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <p>curatarea arbustiva ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	61RM, 62RM	61RM, 62RM	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme(bot) Con dejectie
Altitudine: 650-1540 Expozitie: Toate directiile Inclinatie: 2-14% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides						
Graminee: Festuca airoides , Deschampsia flexuosa,Brachipodium pinnatum, Festuca pseudovina Nardus stricta						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata						
Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula						
Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale-actual – conform tabel pct 6.4 litera a  perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad,ienupar, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:  Curatare vegetatie arbutiva ridicare topografica Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	63RM, 64RM, 65RM, 66RM si 67RM	63RM, 64RM, 65RM, 66RM si 67RM	Conform tabel 1.1	Pasune	Deal	Con dejectie
<p>Altitudine: 715-740 Expozitie: Toate directiile Inclinatie: 2-5% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p><b>Graminee:</b> <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p><b>Leguminoase:</b> <i>Trifolium sp.</i>, <i>Lotus corniculatus</i>, <i>Onobrichis viciifolia</i></p>						
<p><b>Diverse plante:</b> <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantagos sp.</i>, <i>Taraxacum officinalis</i></p>						
<p><b>Plante daunatoare si toxice:</b> <i>Euphorbia cyparissias</i>, <i>Cyrsum sp.</i></p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <p>curatarea arbustiva</p> <p>ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p> <p style="padding-left: 40px;">Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configurati e
Rau de Mori	68RM si 69RM	68RM si 69RM	Conform tabel 1.1	Pasune alpina	Munte	Versant Culme mamelon
<p>Altitudine: 1550-1890 Expozitie: S-E Inclinatie: 10-18% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Festuca airoides</p>						
<p>Graminee: Festuca airoides , Deschampsia flexuosa,Brachipodium pinnatum, Festuca pseudovina Nardus stricta</p>						
<p>Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Plantago lanceolata</p>						
<p>Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula</p>						
<p>Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p>						
<p>perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: molid, brad,ienupar, bujor de munte, afin</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p>						
<p>Curatare vegetatie arbutiva</p>						
<p>ridicare topografica</p>						
<p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p>						
<p>Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	70RM, 71RM si 72RM	70RM, 71RM si 72RM	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 780-860 Expozitie: V Inclinatie: 8-10% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantago sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
Lucrari propuse:  curatarea arbustiva ridicare topografica  Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	1R	1R	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 990-1036 Expozitie: N Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	2R, 3R, 4R, 5R si 6R	2R, 3R, 4R, 5R si 6R	Conform tabel 1.1	Pasune	Deal	Versant Zona depresionara
Altitudine: 770-1230 Expozitie: N,S Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	7R, 8R, 9R, 10R, 11R, 12R, 13R, 14R si 15R	7R, 8R, 9R, 10R, 11R, 12R, 13R, 14R si 15R	Conform tabel 1.1	Pasune	Deal	Versant Culme mamelon lunca
<p>Altitudine: 700-1345 Expozitie: Toate directiile Inclinatie: 0-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(16+18+19)R, 17R, 20R, 21R, 22R, 23R, 24R, 25R si 26R	(16+18+19)R, 17R, 20R, 21R, 22R, 23R, 24R, 25R si 26R	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 780-1300 Expozitie: N Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantago sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	27R, 28R, 29R, 30R si 31R	27R, 28R, 29R, 30R si 31R	Conform tabel 1.1	Pasune	Deal	Versant culme
Altitudine: 875-1315 Expozitie: N-V Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	32R, 33R, 34R	32R, 33R, 34R	Conform tabel 1.1	Pasune	Deal	Versant Culme(bot)
<p>Altitudine: 1075-1320 Expozitie: Toate directiile Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	35R, 36R, 37R, 38R, 39R si 40R	35R, 36R, 37R, 38R, 39R si 40R	Conform tabel 1.1	Pasune	Deal	Versant Culme(bot)
<p>Altitudine: 1075-1320 Expozitie: Toate directiile Inclinatie: 14-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <p>curatarea arbustiva ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	41R, 42R, 43R	41R, 42R, 43R	Conform tabel 1.1	Pasune	Deal	Versant Culme(bot) Zona depresionara
<p>Altitudine: 1265-1760 Expozitie: Toate directiile Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Nardus stricta, Arostis capillaris-Festuca rubra</p>						
<p>Graminee: Festuca rubra, Festuca pratensis, Agrostis capillaris, Festuca airoides, Agrostis stolonifera, Alopecurus pretensis, Cynodon dactylon, Deschampsia caespitosa</p>						
<p>Leguminoase Trifolium repens, Trifolium campestre, Medicago lupulina, Lathyrus pratensis, Coronila varia, Melilotus officinalis</p>						
<p>Diverse plante: Achillea millefolium, Carum carvi, Plantago Lanceolata, Rumex acetosa Taraxacum officinale, Thymus montanus</p>						
<p>Plante daunatoare si toxice: Euphorbia cyparissias, Juncus sp. Ranunculus repens, Chelidonium majus, Conium maculatum, Equisetum palustre</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p> <p>Curatare vegetatie arbutiva ridicare topografica</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	44R, 45R, 46R, 47R, 48R	44R, 45R, 46R, 47R, 48R	Conform tabel 1.1	Pasune	Deal	Versant Culme(bot) Zona depresionara
<p>Altitudine: 1265-1760 Expozitie: Toate directiile Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului</p>						
<p>Tip de pajiste: Nardus stricta</p>						
<p>Graminee: Nardus stricta ,Festuca nigrescens, Festuca amethystina Festuca rubra, Agrostis capillaris, Agrostis tenuis, Festuca pratensis</p>						
<p>Leguminoase: Potentilla erecta, Potentilla ternata</p>						
<p>Diverse plante: Viola declinata, arnica montana, campanula serrata</p>						
<p>Plante daunatoare s i toxice: Euphorbia cyparissias, Juncus sp. Ranunculus repens, Chelidonium majus, Conium maculatum, Equisetum palustre</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 85%</p>						
<p>Incarcarea cu animale-actual – conform tabel pct 6.4 litera a</p>						
<p>perspectiva – conform tabel pct 6.4 litera b</p>						
<p>- Vegetatia arbustiva: smirdar, afin, jneapan ienupar pitic</p>						
<p>Lucrari executate:-</p>						
<p>Lucrari propuse:</p>						
<p>Curatare vegetatie arbutiva ridicare topografica</p>						
<p>Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	49R, 50R, 51R	49R, 50R, 51R	Conform tabel 1.1	Pasune	Deal	Versant Culme(bot) Zona depresionara
Altitudine: 1265-1760 Expozitie: Toate directiile Inclinatie: 8-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
Tip de pajiste: Festuca airoides, Nardus stricta						
Graminee: Festuca airoides , Nardus stricta, Festuca rubra , Festuca pratensis						
Leguminoase: Alchemilla vulgaris, Cichorium inthybus, Geranium pratense, Potentilla erecta, Potentilla ternata						
Diverse plante: Arnica montana,Centaurea sp., Luzula campestris,Alchemilla vulgaris, Carex curvula						
Plante daunatoare s i toxice: Colchicum autumnale, Ranunculus acer						
Grad de acoperire cu vegetatie a parcelei: 85%						
Incarcarea cu animale–actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
- Vegetatia arbustiva: molid, brad,ienupar pitic, jneapan, bujor de munte, afin						
Lucrari executate:-						
Lucrari propuse:						
Curatare vegetatie arbutiva						
ridicare topografica						
Productia actuala de masa verde - conform tabel pct 6.4 litera a						
Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	1Sb, 2Sb	1Sb, 2Sb	Conform tabel 1.1	Pasune	Deal	Versant
Altitudine: 530-540 Expozitie: N Inclinatie: 6-8% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> <i>Agrostis capillaris</i> - <i>Festuca rubra</i>						
<b>Graminee:</b> <i>Agrostis capillaris</i> , <i>Festuca rubra</i> , <i>Lolium perene</i> , <i>Poa pratensis</i> , <i>Nardus stricta</i>						
<b>Leguminoase:</b> <i>Trifolium sp.</i> , <i>Lotus corniculatus</i> , <i>Onobrichis viciifolia</i>						
<b>Diverse plante:</b> <i>Achillea millefolia</i> , <i>Rumex acetosa</i> , <i>Plantagos sp.</i> , <i>Taraxacum officinalis</i>						
<b>Plante daunatoare si toxice:</b> <i>Euphorbia cyparissias</i> , <i>Cirsium sp.</i>						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(3+4+5+6+7)Sb	(3+4+5+6+7)Sb	Conform tabel 1.1	Pasune	Deal	Versant Campie piemontata terasata Culme mamelon lunca
Altitudine: 460-570 Expozitie: Toate directiile Inclinatie: 0-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare:usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a						
perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	9Sb,(8+12)Sb, 10Sb, 13Sb, 14Sb	9Sb,(8+12)Sb, 10Sb, 13Sb, 14Sb	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 460-470 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare s i toxice:</b> Euphorbia cyparissias, Cirsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p><b>Lucrari propuse:</b>  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(11+23+28+29)Sb, (24+25)Sb, 26Sb, 27Sb, (20+21)Sb, 22Sb, 18Sb, 19Sb	(11+23+28+29)Sb, (24+25)Sb, 26Sb, 27Sb, (20+21)Sb, 22Sb, 18Sb, 19Sb	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 480-505 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p><b>Graminee:</b> <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p><b>Leguminoase:</b> <i>Trifolium sp.</i>, <i>Lotus corniculatus</i>, <i>Onobrichis viciifolia</i></p>						
<p><b>Diverse plante:</b> <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantagos sp.</i>, <i>Taraxacum officinalis</i></p>						
<p><b>Plante daunatoare s i toxice:</b> <i>Euphorbia cyparissias</i>, <i>Cyrsium sp.</i></p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <p>reducerea eroziunii solului si prevenirea alunecarilor de teren</p> <p>curatarea arbustiva</p> <p>combatere plante daunatoare</p> <p>ridicare topografica si inscrierea in cartea funciara</p> <p>fertilizare cu ingrasaminte organice, in special prin prin tarlire</p> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p> <p style="padding-left: 40px;">Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	15Sb, 16Sb, 17Sb	15Sb, 16Sb, 17Sb	Conform tabel 1.1	Pasune	Deal	Versant
<p>Altitudine: 480-505 Expozitie: V,E Inclinatie: 12-16% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p><b>Lucrari propuse:</b>  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	30Sb, 32Sb, 33Sb, 34Sb, 35Sb, 36Sb	30Sb, 32Sb, 33Sb, 34Sb, 35Sb, 36Sb	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 500-515 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:</p> <ul style="list-style-type: none"> <li>reducerea eroziunii solului si prevenirea alunecarilor de teren</li> <li>curatarea arbustiva</li> <li>combatere plante daunatoare</li> <li>ridicare topografica si inscrierea in cartea funciara</li> <li>fertilizare cu ingrasaminte organice, in special prin prin tarlire</li> </ul> <p>Productia actuala de masa verde - conform tabel pct 6.4 litera a</p> <p style="padding-left: 40px;">Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						



U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	(31+39+41+42+43+44+45+46+47+48+49+50+51+52+67)Sb	(31+39+41+42+43+44+45+46+47+48+49+50+51+52+67)Sb	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 510-540 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p><b>Graminee:</b> <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p><b>Leguminoase:</b> <i>Trifolium sp.</i>, <i>Lotus corniculatus</i>, <i>Onobrichis viciifoia</i></p>						
<p><b>Diverse plante:</b> <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantagos sp.</i>, <i>Taraxacum officinalis</i></p>						
<p><b>Plante daunatoare si toxice:</b> <i>Euphorbia cyparissias</i>, <i>Cyrsium sp.</i></p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	37Sb, 38Sb, 40Sb	37Sb, 38Sb, 40Sb	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 510-540 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> <i>Agrostis capillaris</i>-<i>Festuca rubra</i></p>						
<p><b>Graminee:</b> <i>Agrostis capillaris</i>, <i>Festuca rubra</i>, <i>Lolium perene</i>, <i>Poa pratensis</i>, <i>Nardus stricta</i></p>						
<p><b>Leguminoase:</b> <i>Trifolium</i> sp., <i>Lotus corniculatus</i>, <i>Onobrichis viciifolia</i></p>						
<p><b>Diverse plante:</b> <i>Achillea millefolia</i>, <i>Rumex acetosa</i>, <i>Plantagos</i> sp., <i>Taraxacum officinalis</i></p>						
<p><b>Plante daunatoare s i toxice:</b> <i>Euphorbia cyparissias</i>, <i>Cyrsium</i> sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	53Sb, (54+55+56+57+58+59+60+64) Sb+1VD	53Sb, (54+55+56+57+58+59+60+64) Sb+1VD	Conform tabel 1.1	Pasune	Deal	Lunca
<p>Altitudine: 610-930 Expozitie: Toate directiile Inclinatie: 0% Sol: conform ortofotoplanuri anexate</p>						
<p>Date stationale suplimentare: Eroziune moderata, rezerva in humus moderata, textura lut mediu nisipos</p>						
<p><b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra</p>						
<p><b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta</p>						
<p><b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifoia</p>						
<p><b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis</p>						
<p><b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.</p>						
<p>Grad de acoperire cu vegetatie a parcelei: 98%</p>						
<p>Incarcarea cu animale: actual – conform tabel pct 6.4 litera a</p> <p style="text-align: center;">perspectiva – conform tabel pct 6.4 litera b</p>						
<p>Vegetatia arbustiva: paducel, mur, maces, lastaris</p>						
<p>Lucrari propuse:  reducerea eroziunii solului si prevenirea alunecarilor de teren  curatarea arbustiva  combatere plante daunatoare  ridicare topografica si inscrierea in cartea funciara  fertilizare cu ingrasaminte organice, in special prin prin tarlire  Productia actuala de masa verde - conform tabel pct 6.4 litera a  Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b</p>						

U.A.T	Trup de pajiste	Parcela descriptiva	Suprafata (ha)	Categorie de folosinta	Unitate de relief	Configuratie
Rau de Mori	61Sb, 62Sb, 63Sb, (65+66) Sb+13RDM	61Sb, 62Sb, 63Sb, (65+66) Sb+13RDM	Conform tabel 1.1	Pasune	Deal	Versant Culme Mamelon Campie piemontata terasata
Altitudine: 520-540 Expozitie: Toate directiile Inclinatie: 1-16% Sol: conform ortofotoplanuri anexate						
Date stationale suplimentare: usoare tendinte de eroziune pe culmea versantului						
<b>Tip de pajiste:</b> Agrostis capillaris-Festuca rubra						
<b>Graminee:</b> Agrostis capillaris, Festuca rubra, Lolium perene, Poa pratensis, Nardus stricta						
<b>Leguminoase:</b> Trifolium sp., Lotus corniculatus, Onobrichis viciifolia						
<b>Diverse plante:</b> Achillea millefolia, Rumex acetosa, Plantagos sp., Taraxacum officinalis						
<b>Plante daunatoare si toxice:</b> Euphorbia cyparissias, Cyrsium sp.						
Grad de acoperire cu vegetatie a parcelei: 98%						
Incarcarea cu animale: actual – conform tabel pct 6.4 litera a perspectiva – conform tabel pct 6.4 litera b						
Vegetatia arbustiva: paducel, mur, maces, lastaris						
<b>Lucrari propuse:</b> reducerea eroziunii solului si prevenirea alunecarilor de teren curatarea arbustiva combatere plante daunatoare ridicare topografica si inscrierea in cartea funciara fertilizare cu ingrasaminte organice, in special prin prin tarlire Productia actuala de masa verde - conform tabel pct 6.4 litera a Productia de masa verde in perspectiva - conform tabel pct 6.4 litera b						